APPLICA	BLE STAND	ARD								
	OPERATING TEMPERATURE	RANGE -55°C TO +85°C STORAGE TEMPERATURE R			-10°C TC		) +50°C(PACKED CONDITION)			
RATING	VOLTAGE		30V AC/DC	OPERATIN HUMIDITY	IG OR STORA RANGE	GE	RELATIVE HUMIDITY 90%MAX(NOT DEW			))
	CURRENT	0.2 A			LE CABLE					
			SP	ECIFICA	ATIONS					
I	TEM		TEST METHO	D			REQU	IREMENTS	QT	АТ
CONSTR	UCTION									
GENERAL E	GENERAL EXAMINATION		VISUALLY AND BY MEASURING INSTRUMENT.			ACCORDING TO DRAWING.				×
MARKING		CONFIRMED VISUALLY.							×	×
ELECTRI	C CHARAC	TERIST	TCS							
VOLTAGE PROOF		90V AC FOR 1 min.			NO FI	NO FLASHOVER OR BREAKDOWN.				×
INSULATION	I RESISTANCE	100V DC.			50M Ω	50M Ω MIN.				×
CONTACT F	RESISTANCE	AC 20mV MAX (1KHz), 1mA.			100m	Ω Μ	AX.		×	+
					EXCL	EXCLUDING FPC BULK RESISTANCE				
MECHAN	ICAL CHAF	RACTER	RISTICS							
VIBRATION	207 12 01 17 11		NCY 10 TO 55 Hz, HALF	AMPLITUDE	① NO	) ELI	ECTRICAL I	DISCONTINUITY OF 1 μ s		Τ
CHOOK		0.75 mm FOR 10 CYCLES IN 3 AXIAL DIRECTIONS.				② CONTACT RESISTANCE: 100mΩ MAX.			×	$\perp$
SHOCK		981 m/s <sup>2</sup> , DURATION OF PULSE 6ms AT 3 TIMES IN 3 BOTH AXIAL DIRECTIONS.				③ NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			×	-
MECHANICA	L OPERATION	10 TIMES INSERTIONS AND EXTRACTIONS.			2 NO	CONTACT RESISTANCE: 100m Ω MAX.     NO DAMAGE, CRACK AND LOOSENESS     OF PARTS.			×	-
(~		MEASURED BY APPLICABLE FPC. (THICKNESS OF FPC SHALL BE t=0.20mm AT INITIAL CONDITION.)			DIREC	DIRECTION OF INSERTION: 4 + 0.1 × n N MIN. (note 1)			×	<del> </del>
ENVIRON	IMENTAL C	1	TERISTICS							
CORROSION SALT MIST		EXPOSED AT 35±2°C, 5% SALT WATER SPRAY FOR 96h.			② NO OF ③ NO	CONTACT RESISTANCE: 100m Ω MAX.     NO DAMAGE, CRACK AND LOOSENESS     OF PARTS.     NO EVIDENCE OF CORROSION WHICH     AFFECTS TO OPERATION OF CONNECTOR				-
RAPID CHANGE OF		TEMPERATURE -55→+15 TO +35→+85→+15TO+35 °C				CONTACT RESISTANCE: 100m Ω MAX.     INSULATION RESISTANCE: 50M Ω MIN.     NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				+
TEMPERATURE		TIME $30 \rightarrow 2 \text{ TO } 3 \rightarrow 30 \rightarrow 2 \text{ TO } 3 \text{ min}$			1 -					-
DAMP HEAT		UNDER 5 CYCLES.  EXPOSED AT 40±2°C,								+
(STEADY ST	(STEADY STATE)		RELATIVE HUMIDITY 90 TO 95%, 96h.						×	
COUN	IT [	DESCRIPT	ION OF REVISIONS		DESIGNED			CHECKED		ATE
<u>∕Ô.</u> REMARK						T.	DDDO\/ES	MO IOLUDA	1	00.04
						$\vdash$	PPROVED CHECKED	MO.ISHIDA ST.WADA	_	02.04
						$\vdash$	ESIGNED	HS.HIRAHARA		02.03
Unless otherwise specified, re			, refer to JIS C 5402.			DRAWN		HS.HIRAHARA	14.02.03	
Note QT:Qualification Test AT:Assurance Test X:Applicable Test			DRAWI	DRAWING NO. ELC4-35			30-01			
нs		SPECIFICATION SHEET P			PART NO.	T NO. FH43BW-**S-0.2SHV			V(10)	
		HIROSE ELECTRIC CO., LTD.			CODE NO.		(	CL580-		1/2

SPECIFICATIO	NS		
TEST METHOD	REQUIREMENTS	QT	АТ
EXPOSED AT -10 TO +65 °C RELATIVE HUMIDITY 90 TO 96 % 10 CYCLES, TOTAL 240h.	<ol> <li>CONTACT RESISTANCE: 100mΩ MAX.</li> <li>INSULATION RESISTANCE: 1MΩ MIN.         (AT HIGH HUMIDITY)</li> <li>INSULATION RESISTANCE: 50MΩ MIN.         (AT DRY)</li> <li>NO DAMAGE, CRACK AND LOOSENESS OF PARTS.</li> </ol>	×	_
EXPOSED AT 85±2°C, 96h.	① CONTACT RESISTANCE: 100mΩ MAX. ② NO DAMAGE. CRACK AND LOOSENESS		_
EXPOSED AT -55±3°C, 96h.	OF PARTS.	×	_
EXPOSED AT 40±2°C, RELATIVE HUMIDITY 80±5 %, 25±5 ppm FOR 96h.	CONTACT RESISTANCE: 100mΩ MAX.     NO DAMAGE, CRACK AND LOOSENESS     OF PARTS.	×	-
EXPOSED AT 40±2°C, RELATIVE HUMIDITY 80±5 %, 10 TO 15 ppm FOR 96h.	③ NO EVIDENCE OF CORROSION WHICH AFFECTS TO OPERATION OF CONNECTOR.	×	_
SOLDERED AT SOLDER TEMPERATURE, 235±5°C FOR IMMERSION DURATION, 2±0.5 sec.	A NEW UNIFORM COATING OF SOLDER SHALL COVER A MINIMUM OF 95 % OF THE SURFACE BEING IMMERSED.	×	_
1) REFLOW SOLDERING: PEAK TMP. 250°CMAX. REFLOW TMP. OVER 230°C WITHIN 60 sec. 2) SOLDERING IRONS:	NO DEFORMATION OF CASE OF EXCESSIVE LOOSENESS OF THE TERMINALS. (note 2)	×	_
	TEST METHOD  EXPOSED AT -10 TO +65 °C RELATIVE HUMIDITY 90 TO 96 % 10 CYCLES, TOTAL 240h.  EXPOSED AT 85±2°C, 96h.  EXPOSED AT -55±3°C, 96h.  EXPOSED AT 40±2°C, RELATIVE HUMIDITY 80±5 %, 25±5 ppm FOR 96h.  EXPOSED AT 40±2°C, RELATIVE HUMIDITY 80±5 %, 10 TO 15 ppm FOR 96h.  SOLDERED AT SOLDER TEMPERATURE, 235±5°C FOR IMMERSION DURATION, 2±0.5 sec.  1) REFLOW SOLDERING: PEAK TMP. 250°CMAX. REFLOW TMP. OVER 230°C WITHIN 60 sec.	EXPOSED AT -10 TO +65 °C  RELATIVE HUMIDITY 90 TO 96 %  10 CYCLES, TOTAL 240h.  10 CYCLES, TOTAL 240h.  EXPOSED AT 85±2°C, 96h.  EXPOSED AT 85±2°C, 96h.  EXPOSED AT -55±3°C, 96h.  EXPOSED AT -55±3°C, 96h.  EXPOSED AT 40±2°C, RELATIVE HUMIDITY 80±5 %, 25±5 ppm FOR 96h.  EXPOSED AT 40±2°C, RELATIVE HUMIDITY 80±5 %, 10 TO 15 ppm FOR 96h.  EXPOSED AT SOLDER TEMPERATURE, 235±5°C FOR IMMERSION DURATION, 2±0.5 sec.  1) REFLOW SOLDERING: PEAK TMP, 250°CMAX, REFLOW TMP, OVER 230°C WITHIN 60 sec. 2) SOLDERING IRONS:  (AT HIGH HUMIDITY) (AT HIGH HUM	TEST METHOD  REQUIREMENTS  QT  EXPOSED AT -10 TO +65 °C  RELATIVE HUMIDITY 90 TO 96 %  10 CYCLES, TOTAL 240h.  REQUIREMENTS  QT  CATHIGH HUMIDITY  IN O CYCLES, TOTAL 240h.  REQUIREMENTS  QT  CONTACT RESISTANCE: 100m Ω MAX.  INSULATION RESISTANCE: 50M Ω MIN.  (AT HIGH HUMIDITY)  IN O DAMAGE, CRACK AND LOOSENESS OF PARTS.  REXPOSED AT 85±2°C, 96h.  EXPOSED AT -55±3°C, 96h.  EXPOSED AT 40±2°C,  RELATIVE HUMIDITY 80±5 %,  25±5 ppm FOR 96h.  REXPOSED AT 40±2°C,  RELATIVE HUMIDITY 80±5 %,  10 TO 15 ppm FOR 96h.  SOLDERED AT 30 C WITHIN 60 sec.  1) REFLOW SOLDERING:  PEAK TMP. 250°CMAX,  REFLOW TMP. OVER 230°C WITHIN 60 sec.  2) SOLDERING IRONS:  PARTS.  A NO EVIDENCE OF CORROSION  A NEW UNIFORM COATING OF SOLDER  SHALL COVER A MINIMUM OF 95 %  OF THE SURFACE BEING IMMERSED.  NO DEFORMATION OF CASE  OF EXCESSIVE LOOSENESS  OF THE TERMINALS.  (note 2)

## (note 1)

THIS PRODUCT HAS FLIP-LOCK CONSTRUCTION. FASTEN FPC ON PCB OR SOMETHING FIXED IF FORCE IN VERTICAL DIRECTION SHALL BE PREDICTED.

'n' IS NUMBER OF CONTACTS.

## (note 2)

BLISTERS WHICH MAY OCCUR IN HOUSING DO NOT AFFECT PRODUCT PERFORMANCE.

No	ote QT:Qu	alification Test AT:Assurance Test X:Applicable Test	DRAWIN	IG NO.	ELC4-355760-01		
11	HRS	SPECIFICATION SHEET	PART NO.	FH43BW-**S-0.2SHW(10)			
1		HIROSE ELECTRIC CO., LTD.	CODE NO.	(	CL580-	$\Diamond$	2/2