

## HC-NPT-3/4-M25


Order No.: 1686850

The illustration shows version HC-NPT-1/2-M20

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1686850>

NPT adapter, IP68, up to 5 bar, incl. O-ring seal, 3/4" to M25

### Commercial data

GTIN (EAN)	 4 017918 822712
sales group	D290
Pack	25 pcs.
Customs tariff	74199990
Catalog page information	Page 527 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
05/02/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Material	Nickel-plated brass
Material, O-ring	NBR
Thread type connection side 1	M25
Ambient temperature (operation)	-20 °C ... 80 °C

**Certificates / Approvals**




Certification

GOST

---

**Diagrams/Drawings**

Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;