






PART NUMBER 10106124-8000001LF



spec ref	-			dr	Peng-Bing Fu	2012/03/28	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5			eng	Peng-Bing Fu	2012/11/14			ecn no			ELX-DG-013143-1	
TOLERANCES UNLESS OTHERWISE SPECIFIED				chr	Shao-Qi Kuang	2012/11/15			product family			PwrBlade+	rel level
surface		linear	0.X	±0.5		8HP RA STB HEADER	cat. no.	Product - Customer Drw	dwg no 10106124-8000001	rev B	ASME Y14.5		sheet 1 of 3
			0.XX	±0.25									
0.XXX	±0.10												
ASME Y14.5		angular	0°	±2°	www.fci.com								

PRODUCT NO.	ROWS	HIGH POWER								E2	
		E1	P1	P2	P3	P4	P5	P6	P7		P8
10106124-8000001LF	DCBA	HA	H1	H1	H1	H1	H1	H1	H1	H1	HA



Copyright FCI.

CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN

spec ref	-	dr	Peng-Bing Fu	2012/03/28	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Peng-Bing Fu	2012/11/14			ecn no	ELX-DG-013143-1	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Shao-Qi Kuang	2012/11/15						
surface	linear	appr	Pei-Ming Zheng	2012/11/15			cat. no.	8HP	dwg no	10106124-8000001
ASME Y14.5	angular 0° ±2°	www.fci.com		RA STB HEADER	rev	B	Product - Customer Drw		sheet 2 of 3	

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A $\triangle B$ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

spec ref -		dr	Peng-Bing Fu	2012/03/28	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2012/11/14		← →	ecn no		ELX-DG-013143-1	
ASME Y14.5		chr	Shao-Qi Kuang	2012/11/15			rel level		Released	
surface ✓		appr	Pei-Ming Zheng	2012/11/15			product family	PwrBlade+	rel level	Released
ASME Y14.5	linear	0.X	±0.5		8HP	RA STB HEADER	dwg no	10106124-8000001	rev	B
		0.XX	±0.25							
		0.XXX	±0.10							
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw	sheet 3 of 3			