

1444

Aluminum Chassis



Some sizes available with walnut sides.



Key Features:

- Spot welded - heavy duty construction chassis.
- Natural aluminum finish (as shown above) - also available in painted steel with walnut side panels).
- Side panels are made from solid walnut and routed out to fit over ends of chassis (pre-punched for easy mounting).
- Walnut side panels attach with four machine screws & lockwashers (included) into metal inserts to avoid wood damage. Screws should not be torqued past 4.43 lbf.in (50 cN.m).
- Usable surface of chassis front, back and top are reduced by roughly 7/8" (22 mm) due to inset in walnut sides.
- Optional bottom plates are punched with 4 holes – 3/16" diameter.
- Bottom plate hardware not provided, please order separately - Part number **1421J6** (Pkg. of 6, 6-32 Philips head screws).
- NOTE: our steel chassis covers (1451 series) are NOT compatible with this series.



Accessories



Bottom Panels

Natural aluminum panels ship with a protective cover which can also be used as a drilling template.



www.hammondmfg.com

USA

(716) 630-7030

Canada

(519) 822-2960

Quebec

(450) 975-1884

Europe (UK)

01256 812812

Australia

+61-8-8240-2244

1444

Aluminum Chassis

| Chassis | Chassis w/ Walnut Sides | Aluminum Thickness (Inches) | Units | Width | Depth | Height | Bottom Plate |
|------------|-------------------------|-----------------------------|------------|------------|------------|-----------|--------------|
| 1444-6 | | 0.04 | inch mm | 4 102 | 4 102 | 2 51 | 1434-6 |
| 1444-45351 | | 0.04 | inch mm | 4.5 114 | 3.5 89 | 1 25 | 1434-4535 |
| 1444-542 | | 0.04 | inch mm | 5 127 | 4 102 | 2 51 | 1434-54 |
| 1444-6415 | | 0.04 | inch mm | 6 152 | 4 102 | 1.5 38 | 1434-8 |
| 1444-8 | | 0.04 | inch mm | 6 152 | 4 102 | 2 51 | 1434-8 |
| 1444-643 | | 0.04 | inch mm | 6 152 | 4 102 | 3 76 | 1434-8 |
| 1444-12 | 1444-12CWW | 0.04 | inch mm | 7 178 | 5 127 | 2 51 | 1434-12 |
| 1444-753 | | 0.04 | inch mm | 7 178 | 5 127 | 3 76 | 1434-12 |
| 1444-772 | | 0.04 | inch mm | 7 178 | 7 178 | 2 51 | 1434-77 |
| 1444-9 | | 0.04 | inch mm | 8 203 | 4 102 | 1 25 | 1434-10 |
| 1444-10 | | 0.04 | inch mm | 8 203 | 4 102 | 2 51 | 1434-10 |
| 1444-84515 | | 0.04 | inch mm | 8 203 | 4.5 114 | 1.5 38 | 1434-845 |
| 1444-862 | | 0.04 | inch mm | 8 203 | 6 152 | 2 51 | 1434-86 |
| 1444-14 | | 0.04 | inch mm | 9 229 | 5 127 | 2 51 | 1434-14 |
| 1444-972 | | 0.04 | inch mm | 9 229 | 7 178 | 2 51 | 1434-97 |
| 1444-9552 | | 0.04 | inch mm | 9.5 241 | 5 127 | 2 51 | 1434-955 |
| 1444-95525 | | 0.04 | inch mm | 9.5 241 | 5 127 | 2.5 64 | 1434-955 |
| 1444-9553 | | 0.04 | inch mm | 9.5 241 | 5 127 | 3 76 | 1434-955 |
| 1444-1053 | | 0.04 | inch mm | 10 254 | 5 127 | 3 76 | 1434-105 |
| 1444-15 | | 0.04 | inch mm | 10 254 | 6 152 | 1 25 | 1434-16 |
| 1444-16 | 1444-16CWW | 0.04 | inch mm | 10 254 | 6 152 | 2 51 | 1434-16 |
| 1444-10825 | | 0.04 | inch mm | 10 254 | 8 203 | 2.5 64 | 1434-108 |
| 1444-1172 | | 0.04 | inch mm | 11 279 | 7 178 | 2 51 | 1434-117 |
| 1444-1273 | | 0.04 | inch mm | 12 305 | 7 178 | 3 76 | 1434-127 |
| 1444-22 | 1444-22CWW | 0.051 | inch mm | 12 305 | 8 203 | 2 51 | 1434-22 |
| 1444-12825 | | 0.051 | inch mm | 12 305 | 8 203 | 2.5 64 | 1434-22 |
| 1444-24 | 1444-24CWW | 0.051 | inch mm | 12 305 | 8 203 | 3 76 | 1434-22 |
| 1444-29 | | 0.051 | inch mm | 12 305 | 10 254 | 2 51 | 1434-29 |
| 1444-12103 | | 0.051 | inch mm | 12 305 | 10 254 | 3 76 | 1434-29 |
| 1444-12123 | | 0.051 | inch mm | 12 305 | 12 305 | 3 76 | 1434-1212 |



1444

Aluminum Chassis

| Chassis | Chassis w/ Walnut Sides | Aluminum Thickness (Inches) | Units | Width | Depth | Height | Bottom Plate |
|------------|-------------------------|-----------------------------|------------|-------------|-----------|----------|--------------|
| 1444-1372 | | 0.04 | inch mm | 13 330 | 7 178 | 2 51 | 1434-137 |
| 1444-18 | | 0.04 | inch mm | 13.5 343 | 5 127 | 2 51 | 1434-18 |
| 1444-1463 | | 0.051 | inch mm | 14 356 | 6 152 | 3 76 | 1434-146 |
| 1444-14103 | | 0.051 | inch mm | 14 356 | 10 254 | 3 76 | 1434-1410 |
| 1444-1573 | | 0.051 | inch mm | 15 381 | 7 178 | 3 76 | 1434-157 |
| 1444-1593 | | 0.051 | inch mm | 15 381 | 9 229 | 3 76 | 1434-159 |
| 1444-26 | | 0.051 | inch mm | 16 406 | 8 203 | 2 51 | 1434-26 |
| 1444-28 | | 0.051 | inch mm | 16 406 | 8 203 | 3 76 | 1434-26 |
| 1444-20 | | 0.04 | inch mm | 17 432 | 4 102 | 3 76 | 1434-20 |
| 1444-1763 | | 0.051 | inch mm | 17 432 | 6 152 | 3 76 | 1434-176 |
| 1444-1773 | | 0.051 | inch mm | 17 432 | 7 178 | 3 76 | 1434-177 |
| 1444-1783 | | 0.051 | inch mm | 17 432 | 8 203 | 3 76 | 1434-178 |
| 1444-30 | | 0.051 | inch mm | 17 432 | 10 254 | 2 51 | 1434-30 |
| 1444-32 | 1444-32CWW | 0.051 | inch mm | 17 432 | 10 254 | 3 76 | 1434-30 |
| 1444-33 | 1444-33CWW | 0.051 | inch mm | 17 432 | 10 254 | 4 102 | 1434-30 |
| 1444-17105 | | 0.051 | inch mm | 17 432 | 10 254 | 5 127 | 1434-30 |
| 1444-17123 | | 0.051 | inch mm | 17 432 | 12 305 | 3 76 | 1434-1712 |
| 1444-17132 | | 0.051 | inch mm | 17 432 | 13 330 | 2 51 | 1434-1713 |
| 1444-17133 | | 0.051 | inch mm | 17 432 | 13 330 | 3 76 | 1434-1713 |
| 1444-17134 | | 0.051 | inch mm | 17 432 | 13 330 | 4 102 | 1434-1713 |
| 1444-17135 | | 0.051 | inch mm | 17 432 | 13 330 | 5 127 | 1434-1713 |
| 1444-17143 | | 0.051 | inch mm | 17 432 | 14 356 | 3 76 | 1434-1714 |
| 1444-17154 | | 0.051 | inch mm | 17 432 | 15 381 | 4 102 | 1434-1715 |
| 1444-17156 | | 0.051 | inch mm | 17 432 | 15 381 | 6 152 | 1434-1715 |
| 1444-17173 | | 0.051 | inch mm | 17 | 17 | 3 | 1434-1717 |
| | | | | 432 | 432 | 76 | |
| 1444-17174 | | 0.051 | inch mm | 17 | 17 | 4 | 1434-1717 |
| | | | | 432 | 432 | 102 | |

