# Wi-Fi/Bluetooth Antenna Module

## APAMBJ-135

RoHS/RoHS II compliant

Lead in copper alloy exemption (6c); and Lead in glass exemption (7c-I)



### **MSL** level: Not Applicable

#### **FEATURES:**

- Dual tuning both 2.4GHz and 5.0GHz
- VSWR 1.5:1
- Compact size only 55mm in length
- Linear Polarization
- SMA connector
- RoHS/RoHS II compliant

### **TYPICAL APPLICATIONS:**


- Bluetooth
- WiFi 2.4GHz and 5GHz
- Routers


### > STANDARD SPECIFICATIONS:

Parameters	Min.	Тур.	Max.	Units	Note
Frequency Range		2.4		GHz	Bluetooth
		5.0		GHz	Wi-Fi
VSWR			1.5:1		
Polarization Model	Linear				
Impedance		50		Ω	
Gain		0		dBi	Bluetooth
		2		dBi	Wi-Fi
Power Capability		20		W	
Operating Temperature	-40		+85	°C	


## **►** S11 CHARACTERISTICS

## **Antenna Matching S11 Characteristics**





### **Antenna VSWR**



ABRACON IS ISO9001:2008 CERTIFIED




# Wi-Fi/Bluetooth Antenna Module

## **APAMBJ-135**

RoHS/RoHS II compliant Lead in copper alloy exemption (6c); and Lead in glass exemption (7c-I)



### **OUTLINE DRAWING:**



Parameters	Description
RF Connector	SMA-J3
Weight	7.2 g
Enclosure	TPE
Color	Black

## **PACKAGING:**

Package Type	Quantity	Dimensions	Weight
Plastic bag	1 pcs/ Plastic bag	100 x 150 mm	7.2 g
Outer Box	1000 pcs/box	470 x 310 x 210 mm	10 kg

#### **CAUTION:**

- (1) Do not apply excess mechanical stress to the component body or terminations. Do not attempt to re-form or bend the components as this will cause damage to them.
- (2) Do not expose the component to open flame.
- (3) This specification applies to the functionality of the component as a single unit. Please evaluate your specifications before mounting this product.

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



